

COMPANY INTRODUCTION

公司简介

技术研发中心



淄博理研泰山涂附磨具有限公司，是日本RIKEN CORUNDUM株式会社、中国山东鲁信高新技术产业股份有限公司和淄博中理磨具有限公司共同出资兴建的一家中日合资公司，是中国涂附磨具行业中第一家与国外合资兴建的生产型企业。

理研泰山涂附磨具有限公司是中国专业生产高档涂附磨具产品的制造商。公司拥有从德国引进的世界先进水平的生产制造设备和装备精良的研发中心。公司采用日本先进的工艺技术并有日本专家负责技术开发和品质管理。2005年通过了ISO9001质量体系及SGS环保认证检测。

公司生产的超强力涂层干磨砂纸、Cwt-Fwt防静电砂带、漆面研磨专用砂纸、各种布基砂带和超细精密磨削砂纸（P600-P5000）、防卷曲高挡水砂纸及砂盘等产品，被广泛应用在高档家具、乐器、汽车制造、五金、精密仪器和板材等加工行业。

公司拥有强大、稳定的客户群体，包括大型家具制造商、著名的乐器制造商和汽车制造厂等，在中国是公认的高质量产品供应商。

产品以一流的品质、优惠的价格、及时的供货、完善的服务而享有较高的信誉。产品已大量出口到欧洲、美洲、非洲、中东、东南亚等地区。

公司致力于低成本体系的构筑和严格的品质管理，可以为市场提供极具竞争力的产品。

不同文化的交流与合作意味着创新与发展，资源的优势互补可大幅度提高公司的竞争能力，理研泰山涂附磨具有限公司愿意同世界各国公司进行交流与合作。与时俱进，共同发展。

ZIBO RIKEN MT COATED ABRASIVES CO.,LTD. is a China-Japan joint-venture invested by RIKEN CORUNDUM CO.,LTD. in Japan, SHANDONG LUXIN HIGH-TECH INDUSTRY CO.,LTD. and ZIBO ZHONGLI ABRASIVES CO.,LTD. In China coated abrasives field, it is the first enterprise to introduce foreign capital.

The company is a professional manufacturer to supply the top grade coated abrasives in China. We own the most advanced production line imported from Germany and the well-equipped R&D center. The company uses the Japanese advanced craft and technology, has the Japanese expert to be in charge of the R&D and quality control. In 2005 the company passed the ISO9001 certification and the SGS environmental management system certificate.

The company produces super powerful steared dry abrasive paper, Cwt-Fwt prevent static sanding belt, special abrasive paper for paint, kinds of cloth sanding belt, super fine precisely polishing sand paper(P600-P5000), curl resistant high grade waterproof abrasive paper and abrasive disc and etc, the above products have been widely applied in high quality furniture, musical instrument,automobile manufacture, hardware, precision instrument, plywood and so on.

The company has considerable customers including the large-scale furniture manufacturer, the famous musical instrument manufacturer and the automanufacturer and etc, in China our company is regarded as the supplier to provide the top grade abrasive products.

Taking advantage of the good quality, favorite price, prompt delivery and good service, our products enjoy the high fame in the international market. The product has been exported to Europe, America, Africa, Middle East, Southeast Asia.

The company devotes to low cost system with the strict quality control, we could supply the extremely competitive products for the market.

The different cultural exchange and the cooperation means the innovation and the development, the resources compensation each other can enhance the company's competitive ability, ZIBO RIKEN MT COATED ABRASIVES CO.,LTD is willing to have the communication and cooperation with all the companies from the world. Let us develop each other with the cra.

产品型号与选择

PRODUCTS TYPE AND APPLICATION SELECTION

产品型号 Type	磨料 Grain	树脂 Resin	基材 Backing	粒度 Grit Size	用途 Applications								
					汽车制造 Auto Manufacture	汽车修理 Auto Repair	金属 Metal	木材 竹器 Wood Bamboo ware	塑料 油漆 Plastic Painted article	橡胶 皮革 Rubber Leather	石材 Stone		
砂纸 Abrasive paper	A35PM	A	R/R	Cwt	P80~P1000			●	●	●			
	AP36M	A	R/R	Cwt	P80~P600			●	●	●			
	C14PM	C	R/R	Awt	P150~P1000				●				
	AP23M	A	R/R	Bwt	P80~P1200	●	●	●	●	●			
	C34PM	C	R/R	Cwt	P120~P1000			●	●	●	●		
	C45PM	C	R/R	Dwt	P100~P600			●	●	●	●		
	AP57	A	R/R	Ewt	P40~P1000			●	●	●	●		
	CP57	C	R/R	Ewt	P60~P400				●	●		●	
砂布 Abrasive cloth	WP53	WA	R/R	Ewt	P180~P1200					●	●		
	AX67	A	R/R	Xwt	P40~P600			●	●		●		
	CX77	C	R/R	Xwt	P40~P600			●	●	●		●	
	AJ25	A	R/R	Jwt	P100~P600			●	●	●			
	AX67F	A	R/R	Xwt	P40~P320	●	●	●	●	●	●	●	
	AX78	A	R/R	Xwt	P40~P1000			●	●		●		
耐水砂纸 Waterproof abrasive paper	ZX67F	Z/A	R/R	Xwt	P36~P120			●					
	C34P	C	R/R	Cwt	P60~P2500	●	●	●		●			
	C35P	C	R/R	Cwt	P60~P2500	●	●	●	●	●			
	CP38	C	R/R	Cwt	P240~P5000	●	●	●	●	●			
AP37	A	R/R	Cwt	P80~P2000		●	●	●					
不干胶/绒布砂盘 PSA / Velcro Disc					P40~P3000	与风动或电动工具配套使用。适用于轮船、汽车、航空、机械建筑仪表、金属及磨具的抛光与修复。 Fixed onto pneumatic or electrical tools to grind, polish for ship, automobile, furniture, aviation, machinery, building, instrument, metal and mold.							
钢纸砂盘 Fiber Disc					P16~P220	与手工工具配套使用。适用于轮船、汽车、机械、轻工、家具、不锈钢制品及装饰等行业。尤其适用于不规则曲面的抛光与修整。							
弹性磨盘 Flap Disc					P60~P600	与手工工具配套使用。适用于轮船、汽车、机械、轻工、家具、不锈钢制品及装饰等行业。尤其适用于不规则曲面的抛光与修整。							
带轴页轮 Flap wheel with Shaft					P40~P400	Fixed onto hand tools to grind, ideal for ship, automobile, machinery, light industry, furniture, electrical household appliances, steel, decoration and so on. Particularly in polishing workpieces with irregular surface.							
海绵磨块 Sponge Sanding Block					P30~P220	适用于汽车、木器、机械及厨具的打磨与抛光。 Grinding and polishing for automobile, wood, machinery, kitchen.							







RIKEN
COATED ABRASIVES



ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.



Abrasive cloth roll/belt/sheets



TYPES AND APPLICATION SELECTION OF COATED ABRASIVES

Type	Abrasive material	Resin	Backing	Grit	Applications						
					Auto Manufacture	Auto Repair	Metal	wood Bamboo ware	Plastic Painted article	Rubber Leather	Marble
AX67	A	R/R	Xwt	P40~P400			•	•		•	
AJ25	A	R/R	Jwt	P100~P600			•	•			
C04	C	R/R	Jwt	P80~P600			•	•	•	•	

Add: B523, No.135 Zhengtong Road, New&High Industrial Zone, Zibo, Shandong, 255086, China.

Tel: 0086-533-3587295

Fax: 0086-533-3583955

Http://www.rikenmt.com



RIKEN
COATED ABRASIVES




ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.



Abrasive paper roll/belt

AP57/CP57



C34PM/C45PM

TYPES AND APPLICATION SELECTION OF COATED ABRASIVES

Type	Abrasive material	Resin	Backing	Grit	Applications						
					Auto Manufacture	Auto Repair	Metal	wood Bamboo ware	Plastic Painted article	Rubber Leather	Marble
C34PM	C	R/R	Cwt	P120~P1000			●	●	●	●	
C45PM	C	R/R	Dwt	P100~P600			●	●	●	●	
AP57	A	R/R	Ewt	P40~P600			●	●	●	●	
CP57	C	R/R	Ewt	P40~P600				●			●

Add: B523, No.135 Zhengtong Road, New&High Industrial Zone, Zibo, Shandong, 255086, China.

Tel: 0086-533-3587295

Fax: 0086-533-3583955

Http://www.rikenmt.com



Fiber Disc

钢纸砂盘

Applications :

Combined with durable fiber and strong bond .Superior heat resistance and durability .Easy fitting into any portable sanders and easy operation .Available for wide range of applications such as deburring , bead removing and rust removing jobs .


用途:

耐热性高, 操作简单, 用途广泛, 如: 除毛刺、除锈等。



specifications:

size (mm) outer dia: ~ bore dia	Fiber thickness(mm)	abrasive	grit size	Max line speed(m/sec)
76 - 10	0.6 ~1.2	A.C.ZA	16#-220#	80
100 - 16				
115 - 22				
125 - 22				
150 - 22				
180 - 22 - 40				
230 - 22 - 40				



RIKEN

砂纸·砂布

Add: 8523, No. 135 Zhengtong Road, New&High Industrial Zone, Zibo, Shandong, 255086, China
Tel: 0086-533-3587295
Fax: 0086-533-3583955
Http: //www.rikenmt.com

地址: 中国·山东·淄博开发区政通路135号B座523
电话: 0086-533-3587295
传真: 0086-533-3583955
邮编: 255086
网址: www.rikenmt.com



RMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.

Abrasive disc



Abrasive disc


不干胶砂盘 绒布砂盘

Application:

It is fixed on hard rubber plate of pneumatic or electric tools. Sanding and polishing for wood, primer, metal and stone.

用途:

使用时将产品粘贴在风动或电动工具的硬橡胶底盘上,主要用于汽车表面、木器、底漆、金属和石材的抛光与修磨。



RIKEN

砂纸·砂布

Add : No.8, New&High Industrial Zone, North Road, Zibo,
Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code :255086
Http : //www.rikenmt.com

地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-3587295
传真: 0086-533-3583955
邮编: 255086
网址: Http://www.rikenmt.com




RIKEN
COATED ABRASIVES



ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.



Abrasive disc



VELCRO & PSA ABRASIVE DISC

Type	Abrasive material	Resin	Backing	Grit	Applications						
					Auto Repair	Welding point	wood Bamboo ware	Paint	Marble	Rim	Metal
A35PM	A	R/R	Cwt	P60~P1000	•		•			•	
AP45M	A	R/R	Dwt	P60~P240		•					
AP23M	A	R/R	Bwt	P150~P600	•					•	
CP57	C	R/R	Ewt	P40~P600			•		•		
AP57	A	R/R	Ewt	P40~P600			•				•
C14PM	C	R/R	Awt	P150~P1000			•	•			
C35P	C	R/R	Cwt	P60~P2500	•						•

Add: B523, No.135 Zhengtong Road, New&High Industrial Zone, Zibo, Shandong, 255086, China.

Tel: 0086-533-3587295


Fax: 0086-533-3583955

Http://www.rikenmt.com

Flap wheel with shaft



淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.



带轴页轮

Application:

Grinding the surface of wood and metal. Sand the hole and surface of workpiece Grind and polish concave and convex surface profiles.

用途:

木材和金属的表面抛光，工件的内孔，外壁的精磨，物体的曲面，尤其是凹凸表面及侧面的研磨与抛光。

Specifications:

外径X厚度X孔径(mm) Dia X thickness X bore	最高转速 Max speed	磨料Grain	粒度Grit size
(25-80) X (5-25) X 6mm	80m/s	棕刚玉/碳化硅/A/C	P40-P400

RIKEN
砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo,
Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code :255086
Http ://www.rikenmt.com

地址：中国·山东·淄博高新区开发区北路8号
电话：0086-533-3587295
传真：0086-533-3583955
邮编：255086
网址：Http://www.rikenmt.com

Sponge Sanding Block



淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD



海绵磨块


Applications :

It is flexible and soft. The sponge sanding block is ideal for dry or wet sanding and can be reusable after washing. It is used for special surfaces of metal, paint, wood, plastic by hand. It is high efficient for fine grit.

用途:

富有弹性和柔软性, 干湿磨效果理想, 用水冲洗可反复使用。适用于手工打磨金属、油漆、木材、塑料等材料的异型面, 其细粒度产品抛光效果良好。

SIZE 尺寸: 100X70X25mm, 125X100X10mm,
140X114X5mm



RIKEN

砂纸·砂布

Add: 8523, No. 135 Zhengtong Road, New&High Industrial Zone, Zibo, Shandong, 255086, China
Tel: 0086-533-3587295
Fax: 0086-533-3583955
Http: //www.rikenmt.com

地址: 中国·山东·淄博开发区政通路135号B座523
电话: 0086-533-3587295
传真: 0086-533-3583955
邮编: 255086
网址: www.rikenmt.com



RIKEN
COATED ABRASIVES



ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.



Dry abrasive paper



A35PM



AP36M



C14PM



AP23M

TYPES AND APPLICATION SELECTION OF COATED ABRASIVES

Type	Abrasive material	Resin	Backing	Grit	Applications						
					Auto Manufacture	Auto Repair	Metal	wood Bamboo ware	Plastic Painted article	Rubber Leather	Marble
A35PM	A	R/R	Cwt	P80~P1000			●	●	●		
AP36M	A	R/R	Cwt	P80~P600			●	●	●		
C14PM	C	R/R	Awt	P150~P1000				●	●		
AP23M	A	R/R	Bwt	P150~P600				●	●		

Add: B523, No.135 Zhengtong Road, New&High Industrial Zone, Zibo, Shandong, 255086, China.

Tel: 0086-533-3587295

Fax: 0086-533-3583955

Http://www.rikenmt.com




RIKEN
COATED ABRASIVES



ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.



Waterproof abrasive paper



C34P

AP37



C35P

TYPES AND APPLICATION SELECTION OF COATED ABRASIVES

Type	Abrasive material	Resin	Backing	Grit	Applications						
					Auto Manufacture	Auto Repair	Metal	wood Bamboo ware	Plastic Painted article	Rubber Leather	Marble
C34P	C	R/R	Cwt	P60—P2500		●	●		●	●	
C35P	C	R/R	Cwt	P60—P2500		●	●		●	●	
AP37	A	R/R	Cwt	P80—P2000		●	●	●		●	

Add: B523, No.135 Zhengtong Road, New&High Industrial Zone, Zibo, Shandong, 255086, China.

Tel: 0086-533-3587295

Fax: 0086-533-3583955


Http://www.rikenmt.com

Abrasive polyester film



IRMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO., LTD.



聚酯薄膜

Application:

New PET backing material, high sanding strength, not easy to break, special grain with strong sanding power, flat surface. Taking the new type of anti-clogging stearate.

用途:

采用新型PET基材，强度高，不易破损。磨料使用特殊磨料，砂粒平整，切削力强，涂层使用新型防堵涂层，防堵效果极佳。

Specifications:

type	grain	backing	grit size										form				
			60	80	100	120	150	180	240	320	400	600	sheet	roll	belt	disc	
ABRASIVE POLYESTER FILM	A	PET	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●



RIKEN

砂纸·砂布

Add: No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China
Tel: 0086-533-3587295 Fax: 0086-533-3583955
Post Code: 255086
Http: //www.rikenmt.com

地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-3587295
传真: 0086-533-3583955
邮编: 255086
网址: Http://www.rikenmt.com

AJ25



RMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.

Aluminium Oxide flexible Cloth

AJ25 氧化铝柔软砂布

Application:

This product is flexible, high wear resistant, and the backing has the anti slip treatment. The work surface is very fine. It is mainly used in the stainless steel, surgical instrument, carbon steel, hard wood, furniture and irregular surfaces.

用途:

这种产品比较柔软,抗撕裂强度高,背面进行了防滑处理,磨削面光洁度好。主要用于不锈钢,医疗设备,碳钢,硬木,家具行业和曲面的研磨。

Specifications:

type	abrasives	backing	bond	grit size									form			
				100	120	150	180	220	240	280	320	400	600	sheet	roll	belt
AJ25	A	Cloth (Jwt)	R/R	●	●	●	●	●	●		●	●	●	●	●	

RIKEN

砂纸·砂布

Add : No.8, New&High Industrial Zone, North Road, Zibo, Shandong, China

Tel : 0086-533-3587295 Fax : 0086-533-3583955

Post Code :255086

Http : //www.rikenmt.com

地址 : 中国·山东·淄博高新区开发区北路8号

电话 : 0086-533-3587295

传真 : 0086-533-3583955

邮编 : 255086

网址 : Http : //www.rikenmt.com

CJ25



淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.

CJ25

Application:

Sanding and polishing of Copper Alloy, Aluminium Alloy, Zinc Alloy and other soft metal. Long life, perfect work surfaces.

用途:

铜合金、铝合金、锌合金等软金属的研磨和抛光。产品寿命长，磨削面效果好。

Specifications:

type	grain	backing	bond	grit size											form				
				60	80	100	120	150	180	240	320	400	600	800	1000	sheet	roll	belt	disc
CJ25	C	Jwt	R/R				●	●	●	●	●	●	●	●	●		●	●	



Add : No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code :255086
Http ://www.rikenmt.com

地址 : 中国·山东·淄博高新区开发区北路8号
电话 : 0086-533-3587295
传真 : 0086-533-3583955
邮编 : 255086
网址 : Http://www.rikenmt.com

AJ26



RMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.

AJ26

Application:

Produce with advantage grain, heat-resist resin bond, higher sanding efficiency, better heat-resist, mainly used for the sanding and polishing of hard metal, soft metal and small hardware parts, and the flat surface and irregular surface sanding. Coarse grit makes power sanding ability, fine grit makes good sanding performance.

用途:

采用精选优质磨料, 耐高温树脂, 磨削效率高, 耐热性能优秀。主要用于硬质金属、软金属、小五金件的粗磨以及抛光, 平面及曲面的研磨。粗号磨削快, 细号打磨面平整、细腻, 无大颗粒划痕。



Specifications:

type	grain	backing	bond	grit size											form			
				60	80	100	120	150	180	240	320	400	600	sheet	roll	belt	disc	
AJ26	A	Jwt	R/R	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

RIKEN

砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China

Tel : 0086-533-7868078 Fax : 0086-533-7868079

Post Code : 255086

Email: rm3@rikenmt.com

Http: //www.rikenmt.com

地址: 中国·山东·淄博高新区开发区北路8号

电话: 0086-533-7868078

传真: 0086-533-7868079

邮编: 255086

邮箱: rm3@rikenmt.com

网址: Http://www.rikenmt.com

AJ35



RMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO., LTD.

AJ35

Application:

Usually converted into installed shaft flap wheel and flap wheel with shaft, mainly sanding and polishing stainless steel, Aluminium alloy and other metal surface. This product has good synchronization, it won't burn workpieces and has high sanding efficiency.

用途:

主要制作活柄或带柄叶轮等异性品,用于不锈钢、铝合金等金属器具的表面研磨与抛光。产品具有良好的同步消耗性能,不会造成烧伤,切削效率高。



Specifications:

type	grain	backing	bond	grit size								form					
				60	80	100	120	150	180	240	320	400	600	sheet	roll	belt	disc
AJ35	A	Jwt	R/R	●	●	●	●	●	●	●	●	●	●	●			●



RIKEN
砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo,
Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code :255086
Http ://www.rikenmt.com

地址:中国·山东·淄博高新区开发区北路8号
电话:0086-533-3587295
传真:0086-533-3583955
邮编:255086
网址:Http://www.rikenmt.com

AX45



淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.

AX45

Application:

Mainly converted into flap disc with shaft and other special forms products. Sanding and polishing of metal surface, aperture, curved, concave and convex surfaces. This cloth has an excellent flexibility, good synchronization, perfect work surface. It can't burn workpieces and suitable for high speed grinding.

用途:

主要制作带轴叶轮等异形品，用于金属表面、孔径、曲面、凹凸表面的研磨与抛光。产品弹性好，同步性好，磨削面光亮，不易烧伤，高速磨削优势大。



Specifications:

type	grain	backing	bond	grit size											form				
				60	80	100	120	150	180	240	320	400	600	sheet	roll	belt	disc		
AX45	A	Xwt	R/R	●	●	●	●	●	●	●	●	●	●	●		●			



Add : No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code :255086
Http ://www.rikenmt.com

地址：中国·山东·淄博高新区开发区北路8号
电话：0086-533-3587295
传真：0086-533-3583955
邮编：255086
网址：Http://www.rikenmt.com

AX67



淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.

Aluminium Oxide Cloth

AX67 氧化铝全树脂砂布

Application:

General Product for sanding wood, hardware, stainless steel as all kinds of belt, flap disc and quick change discs. High cutting performance in wood & metal working.

用途:

是用于木材、五金、不锈钢板材的通用研磨产品，可以转换为砂带，百页片，圆盘砂使用。在木材和金属行业的研磨效果非常好。

Specifications:

type	abrasives	backing	bond	grit size												form			
				40	60	80	100	120	150	180	220	240	280	320	400	600	sheet	roll	belt
AX67	A	Cloth (Xwt)	R/R	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●



Add : No.8, New&High Industrial Zone, North Road, Zibo,
Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code :255086
Http : //www.rikenmt.com

地址 : 中国·山东·淄博高新区开发区北路8号
电话 : 0086-533-3587295
传真 : 0086-533-3583955
邮编 : 255086
网址 : Http://www.rikenmt.com

AX67F



淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.



AX67F 异型品专用砂布

Application:

Adopting the special treated cloth and high grade Aluminum Oxide grain, it has the fast cutting efficiency and good finishing surface. Usually it is converted into flap disc, flap wheel, flap wheel with shaft, pads, cartridge rolls and so on. Since the high tensile strength, it also can be converted into the belt.

用途:

布基经特殊处理, 并采用优质磨料, 产品具有很高的磨耗比、磨削效率, 并且加工性能优越, 易于转换弹性磨盘、卡盘式页轮、砂套等各式异型品。又因其具有较高的抗拉强度, 也可制作砂带应用, 是一款广谱性的异型品专用砂布。

Specifications:

type	grain	backing	bond	grit size												form			
				40	50	60	80	100	120	150	180	220	240	280	320	sheet	roll	belt	disc
AX67F	A	Cloth (Xwt)	R/R	●		●	●	●	●	●	●	●	●		●		●	●	●



RIKEN
砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code : 255086
Http : //www.rikenmt.com

地址 : 中国·山东·淄博高新区开发区北路8号
电话 : 0086-533-3587295
传真 : 0086-533-3583955
邮编 : 255086
网址 : Http : //www.rikenmt.com

AX78



淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.


AX78

Application:

Adopting the special cloth treated craft,the backing cloth is waterproof and oil proof,it is ideal for wet and dry sanding.Taking advantage of advanced production and treatment technology,it has the long usage life and excellent working surface. It is mainly used in surface treating for stainless steel board,electron,PCB, Aluminium and Copper,also for the general metal and hardware heavy sanding.

用途:

采用特殊布处理工艺，耐水、耐油，可干湿两用。其特殊的生产工艺及后处理技术，使产品具备超强的研磨寿命及高质量的研磨效果，适用于不锈钢板、电子、印刷电路板、铜、铝等产品的表面效果处理及切削，也可用于一般金属、小五金的重研磨。



Specifications:

type	grain	backing	bond	grit size																form							
				40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	sheet	roll	belt	disc	
AX78	A	Cloth (Xwt)	R/R	●		●	●	●	●	●	●			●		●		●	●	●				●	●		



Add : No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China
Tel : 0086-533-7868078 Fax : 0086-533-7868079
Post Code :255086
Email: rm3@rikenmt.com
Http: //www.rikenmt.com

地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868079
邮编: 255086
邮箱: rm3@rikenmt.com
网址: Http://www.rikenmt.com

ZX67F



淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.

ZX67F

Application:

Special finished cloth, high quality grain, deal with the active coating on surface, high sanding efficiency and long life.


用途:

布基经特别处理, 并采用优质磨料, 表面进行活动性涂层处理。产品具有高去除率, 使用寿命长的特点。



Specifications:

type	grain	backing	grit size					form			
			40	60	80	100	120	sheet	roll	belt	disc
ZX67F	Z/A	cloth (xwt)	●	●	●	●	●		●		●



RIKEN

砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo,
Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code :255086
Http ://www.rikenmt.com

地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-3587295
传真: 0086-533-3583955
邮编: 255086
网址: Http://www.rikenmt.com

JB-5



RMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.

JB-5 aluminium Oxide flexible cloth

JB-5 氧化铝柔软砂布

Application:



This product is very flexible, mainly used in wood, plastic, general metal. It is a general polishing product by hand.

用途:

这种产品比较柔软, 可用于打磨木材、塑料、一般金属材料等, 是手工打磨通用产品。

Specifications:

grain	backing	bond	grit size										form		
			60	80	100	120	150	180	240	320	400	600	sheet	roll	belt
A	Jwt	R/R	●	●	●	●	●	●	●	●	●	●	●	●	●



Add : No 8, North Road, New&High Industrial Zone, Zibo,
Shandong, China
Tel : 0086-533-7868078 Fax : 0086-533-7868079
Post Code : 255086
Email: rm3@rikenmt.com
Http: //www.rikenmt.com

地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868079
邮编: 255086
邮箱: rm3@rikenmt.com
网址: Http://www.rikenmt.com

AX67/CX77



RMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.

Aluminium Oxide Cloth

AX67/CX77 氧化铝全树脂砂布

Application:

General Product for sanding wood, hardware, stainless steel as all kinds of belt, flap disc and quick change discs. High cutting performance in wood & metal working.

用途:

是用于木材、五金、不锈钢板材的通用研磨产品，可以转换为砂带，百页片，圆盘砂使用。在木材和金属行业的研磨效果非常好。

Specifications:

type	grain	backing	bond	grit size												form				
				40	60	80	100	120	150	180	220	240	280	320	400	600	sheet	roll	belt	disc
AX67	A	Cloth (Xwt)	R/R	●	●	●	●	●	●	●		●		●	●	●		●	●	●
CX77	C	Cloth (Xwt)	R/R	●	●	●	●	●	●	●		●		●	●	●		●	●	●



RIKEN

砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China

Tel : 0086-533-7868078 Fax : 0086-533-7868079

Post Code :255086

Email: rm3@rikenmt.com

Http: //www.rikenmt.com

地址: 中国·山东·淄博高新区开发区北路8号

电话: 0086-533-7868078

传真: 0086-533-7868079

邮编: 255086

邮箱: rm3@rikenmt.com

网址: Http://www.rikenmt.com



RMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.

AP23M



Abrasive paper for paint

漆面研磨专用砂纸

Application:

Since the special material, the product has the super prevent clogging and static. The paper base has flexible and high wear resistance character ,which makes the abrasive paper has high sanding efficiency and good surface. It is an ideal tool especially for paint sanding.

用途:

采用了特殊的原材料,产品具有超强的防堵塞和防静电能力,纸基柔软、耐撕裂强度高,同时获得高的研磨效率和表面效果,是漆面研磨的专用砂纸。



Specifications:

type	abrasives	backing	bond	grit size												form					
				80	100	120	150	180	220	240	280	320	360	400	600	800	1000	1200	sheet	roll	belt
AP23M	A	lalex(Cwt)	R/R	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
packing quantity			per bale	100																	
			per carton	500	1000																

Sheet standard size 230mm×280mm
Other special size or form can be ordered




Add : No.8, New&High Industrial Zone, North Road, Zibo, Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code :255086
Http : //www.rikenmt.com

地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-3587295
传真: 0086-533-3583955
邮编: 255086
网址: Http://www.rikenmt.com

AP26M



淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.



AP26M

Application:

Latex back paper keep the product has good flexibility, choose sharp and high sanding efficiency grain, has the steared coating, the product is anti-clogging and prevent static, it could be widely used in the field of wood, paint, electronic, automobile and so on.

用途:

采用优质乳胶纸基材，产品柔软性好；精选的锋利、耐磨度高的磨料，磨削效率高；表面经过特殊的涂层处理，具有极强的防堵塞和抗静电性能。可广泛应用于木材、漆面、电子、汽车等行业。

Specifications:

type	grain	backing	bond	grit size											form			
				60	80	100	120	150	180	220	240	320	400	600	800	1000	sheet	roll
AP26M	A	Cwt.	R/R	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●



RIKEN

砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo,
Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code : 255086
Http : //www.rikenmt.com

地址:中国·山东·淄博高新区开发区北路8号
电话:0086-533-3587295
传真:0086-533-3583955
邮编:255086
网址:Http://www.rikenmt.com

AP27M



淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.



AP27M

Application:

Adopt more soft strong paper base, effectively prevent sand paper breakage, special coating technology, is not easy to block, more sharp than common products, have higher grinding efficiency and service life, less material consumption, to the greatest extent to get more good surface effect

用途:

采用更柔软结实的纸基,有效防止砂纸破损,特殊涂层技术,不易封堵,较之普通产品更加锋利,具有更高的磨削效率及使用寿命,最大程度较少耗材的消耗,获得更优异的表面效果

Specifications:

type	grain	backing	bond	grit size											form				
				60	80	100	120	150	180	220	240	320	400	600	sheet	roll	belt	disc	
AP27M	A	Cwt	R/R	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● 产品结构优势:

纸基



AP27M纸基



国内品牌纸基



国外品牌纸基

更优良的纸基保证其具有更优良的柔软性、耐破性

植砂方式




AP27M



其他品牌

更先进的植砂方式使磨料分布更加均匀,使其具有更优良的防堵能力

使用寿命



较之其他同类产品,具有更高的使用寿命

地址:中国·山东·淄博高新区开发区北路8号
电话:0086-533-7868078
传真:0086-533-7868079
邮编:255086
邮箱:rm3@rikenmt.com
网址:Http://www.rikenmt.com

RIKEN
砂纸·砂布

Add: No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China
Tel: 0086-533-7868078 Fax: 0086-533-7868079
Post Code: 255086
Email: rm3@rikenmt.com
Http: //www.rikenmt.com



AP33M

AP33M

Application:

AP33M is a special product suitable for fast sanding. Used as velcro and PSA disc, suitable for different curved surfaces and paint polishing. Taking advantage of the semi-open strew grain technology and special anti-clogging stearate, it can prevent clogging and stick efficiently, get an optimised work surface.

用途:

AP33M是一种特殊的适合快速打磨的产品。适用于快速更换的背绒或背胶的圆盘打磨，同样适用于不同曲面及漆面的研磨。为了达到最佳的光泽表面效果，采用了半开放的植砂方式和特殊的防堵塞涂层，极好地防止了堵塞和粘结，有效地提高打磨效率和延长研磨寿命。

Specifications:

type	grain	backing	bond	grit size											form				
				60	80	100	120	150	180	220	240	320	400	600	800	1000	sheet	roll	belt
AP33M	A	Cwt	R/R	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●





RMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.

A35PM



Dry abrasive paper

A35PM 超涂层干磨砂纸

Application:

The latex is impregnated and special coated prevents clogging and static. It has super powerful sanding efficiency and long usage life. The super flexible and high strong latex paper backing allows to efficiently sanding hard wood, paints and metallurgical appliances in furniture industries. It also be widely used in metal working and aluminium alloy polishing.

用途:

基体含有乳胶成分，超涂层能很好的防堵塞和防静电。具有超强的磨削效率和长寿命。主要用在木材、漆面和金属配件的打磨，也广泛的用于金属、铝合金抛光行业。

specifications:

type	abrasives	backing	bond	grit size													form					
				60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	sheet	roll	belt
A35PM	A	latex(Cwt)	R/R		●	●	●	●	●			●		●		●		●	●	●	●	
packing quantity			per bale	100													●					
			per carton	500						1000												

Sheet standard size 230mm×280mm

Other special size or form can be ordered



Add : No.8, New&High Industrial Zone, North Road, Zibo, Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code :255086
Http : //www.rikenmt.com


地址 : 中国·山东·淄博高新区开发区北路8号
电话 : 0086-533-3587295
传真 : 0086-533-3583955
邮编 : 255086
网址 : Http://www.rikenmt.com

AP36M



RMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.



Dry abrasive paper

AP36M 超涂层干磨砂纸

Application:

Adopt the special treated Aluminium Oxide, it has the long durability life, the sanding surface is fine. It is widely used in rosewood, musical instrument, furniture, automobile wheel hub, plastic, hardware and paint.

用途:

采用了特殊处理的氧化铝磨料, 具有超强的磨削寿命, 高质量的磨削面, 广泛的用于红木、乐器、家具、汽车轮毂、塑料、五金和油漆面的研磨。

Specifications:

type	abrasives	backing	bond	grit size												form				
				60	80	100	120	150	180	220	240	280	320	360	400	500	600	sheet	roll	belt
A36PM	A	lelex(Cwt)	R/R	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
packing quantity				per bale	100												●			
				per carton	500						1000									

Sheet standard size 230mm×280mm
Other special size or form can be ordered



RIKEN

砂纸·砂布

Add : No.8, New&High Industrial Zone, North Road, Zibo,
Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code :255086
Http ://www.rikenmt.com

地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-3587295
传真: 0086-533-3583955
邮编: 255086
网址: Http://www.rikenmt.com



RMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.

AP37

Application:

For wet and dry sanding, usually used in polishing and sanding metal mould, carbon fiber workpieces, fiber glass, composite materials and precision instrument.


用途:

可干湿两用, 特别适用于金属模具、碳纤维制品、玻璃钢、复合材料、精密仪器等行业的研磨和抛光。

specifications:

type	abrasives	backing	bond	grit size																	form						
				80	100	120	150	180	220	240	260	320	360	400	500	600	800	1000	1200	1500	2000	sheet	roll	belt	disc		
AP37	A	latex(CWt)	R/R	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					•	•		•
packing quantity			per bale	100															•	•	•	•	•				
			per carton	500							1000																

Sheet standard size 230mm×280mm
Other special size or form can be ordered




Add : No.8, New&High Industrial Zone, North Road, Zibo,
Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code :255086
Http ://www.rikenmt.com

地址：中国·山东·淄博高新区开发区北路8号
电话：0086-533-3587295
传真：0086-533-3583955
邮编：255086
网址：Http://www.rikenmt.com

AP50M



AP50M is a product with special backing paper and grain. provides a fast cut, long life and professional results, can be widely used in sanding automobile, electron, special material and so on.



Faster Sanding

Aggressive Performance

High Efficient



AP50M

Technical Data

Available grits:

P80, P120, P180, P240, P320, P400, P500, P600

- **Grain** Aluminium Oxide
- **Backing** Latex Paper
- **Coating** Open Coat
- **Bond** Resin / Resin

Product Information

● Feature:

- Perfect sanding performance
- High sanding efficiency
- Super Anti_clogging

● Advantage:

- Coarse grits are very sharp
- Less clogging thanks to stearate coating, Homogeneous sanding finish
- Special planting technology could effectively prevent dust clogging
- Can work together with kinds of sanding machine, for putty and primer sanding
- High cost performance.

Field Application



Grit Suggestion

Remove paint from damaged area

P80 → P120



Sanding the edge of damaged area

P120 → P180



Grinding putty

P80 → P120 → P180 → P240



Sanding before primer

P240 → P320 → P400



Primer sanding

P400 → P500 → P600



AP50M



淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.



AP50M

Application:


Using special paper and abrasive grain, adopting advanced technology makes the product with the new appearance. This product has high efficiency and long life, mainly used in automotive market, paint, putty, glass fiber and reinforced plastic. It also has the good extensibility.

用途:

采用特殊的纸基和磨料，超前的技术使产品具有全新的外观，具有高效的效率及超长的寿命，主要应用于汽修后市场，油漆、腻子领域及玻璃钢的研磨，并有丰富的扩展性。

Specifications:

type	grain	backing	bond	grit size											form				
				60	80	100	120	150	180	220	240	320	400	600	sheet	roll	belt	disc	
AP50M	A	Cwt	R/R	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●



Add : No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China
Tel : 0086-533-7868078 Fax : 0086-533-7868079
Post Code : 255086
Email: rm3@rikenmt.com
Http: //www.rikenmt.com

地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868079
邮编: 255086
邮箱: rm3@rikenmt.com
网址: Http://www.rikenmt.com

AP51



RMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO., LTD.

Economic abrasive paper

AP51 经济型研磨砂纸

Application:

Kraft back paper, well used for hand sanding and convert to Velcro disc and PSA disc, high sanding power and good sanding surface, very suitable for metal, wood, paint, plastic and so on, it is one product with higher quality and competitive price, the grit range is from P60 to P600.


用途:

基材为特殊处理的牛皮纸, 可用于手工或者背绒背胶的圆盘打磨, 具有很强的磨削力和良好的表面效果, 可应用于金属、木材、油漆、塑料等行业, 是一款价廉物美的优质产品。
(60—600#)



Specifications:

type	grain	backing	bond	grit size											form							
				60	80	100	120	150	180	220	240	320	400	600	sheet	roll	belt	disc				
AP26M	A	Cwt	R/R	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●



RIKEN
砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo,
Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code : 255086
Http ://www.rikenmt.com

地址:中国·山东·淄博高新区开发区北路8号
电话:0086-533-3587295
传真:0086-533-3583955
邮编:255086
网址:Http://www.rikenmt.com

AP57



RMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.

Ewt abrasive paper roll

Ewt 砂纸卷 砂纸带

Application:

The special treated coat can prevent the static efficiently. It has the high anti-clogging property and is widely used in board material, furniture, wood floor, leather, textile and metal.


用途:

表面经过特殊涂层处理,可有效防静电。采取了特殊的磨料,产品具有超强的磨削性能。广泛的用于板材、家具、地板、皮革、纺织和金属行业。



Specifications:

type	abrasives	backing	bond	grit size														form				
				40	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	sheet	roll
AP57	A	paper (Ewt)	R/R	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●



RIKEN

砂纸·砂布

Add : No.8, New&High Industrial Zone, North Road, Zibo,
Shandong, China

Tel : 0086-533-3587295 Fax : 0086-533-3583955

Post Code :255086

Http ://www.rikenmt.com

地址: 中国·山东·淄博高新区开发区北路8号

电话: 0086-533-3587295

传真: 0086-533-3583955

邮编: 255086

网址: Http://www.rikenmt.com

CP57



淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.

Ewt abrasive paper roll

Ewt 砂纸卷 砂纸带

Application:

The product can prevent the static efficiently. It adopt special treated silicon carbide abrasives, the grinding life is long. It is widely used in grinding floor, marble, stone and so on.

用途:

砂面经过特殊处理,可有效防静电。
采用了特殊的磨料,产品具有超强的磨削性能。广泛应用于板材、地板及大理石等石材行业的研磨抛光。



Specifications:

type	grain	backing	bond	grit size																	form					
				36	40	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200	sheet	roll	belt	disc
CP57	C	paper (Ewt)	R/R	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●	●	●

RIKEN

砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo,
Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code :255086
Http: //www.rikenmt.com

地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-3587295
传真: 0086-533-3583955
邮编: 255086
网址: Http://www.rikenmt.com



RMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.

C14PM



Dry abrasive paper

C14PM 超涂层干磨砂纸

Application:

The special coat prevent clogging and static. Primer, lacquer and sealer sanding with orbital in furniture industries. Also widely used in the IT industry surface treating. The flexible latex paper can allow contour surfaces by hand sanding. Taking advantage of the special 'C' abrasive material, improve the polishing surface quality very well.

用途:

涂层处理能有效的防堵塞和防静电。用于家具行业底漆、面漆和封口的研磨，也广泛用于IT行业表面处理。柔软的基体适用于曲面研磨。采用特别的C磨料，使打磨的表面质量大大提高。



specifications:

type	abrasives	backing	bond	grit size												form									
				60	80	100	120	150	180	220	240	280	320	360	400	600	800	1000	sheet	roll	belt	disc			
C14PM	C	latex(Awt)	R/R					●	●		●		●		●	●	●	●	●	●	●				
packing quantity			per bale	100												●									
			per carton	500						1000															

Sheet standard size 230mm×280mm
Other special size or form can be ordered



Add : No.8, New&High Industrial Zone, North Road, Zibo,
Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code :255086
Http ://www.rikenmt.com

地址 : 中国·山东·淄博高新区开发区北路8号
电话 : 0086-533-3587295
传真 : 0086-533-3583955
邮编 : 255086
网址 : Http://www.rikenmt.com

C34P



淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.



Waterproof abrasive paper

C34P 碳化硅耐水砂纸

Application:

Waterproof abrasive paper for wet sanding of paints, primes, surfaces of the automobile industries, also used for sanding and finishing of plastics, leather, mechanical components, furniture, precision instrument and hardware .

用途:

用于漆面，底漆和汽车表面的打磨，也广泛的应用于塑料、皮革、机器配件、家具、精密仪器和五金行业的研磨和抛光。



Specifications:

type	abrasives	backing	bond	grit size																	form										
				60	80	100	120	150	180	220	240	280	320	360	400	600	800	1000	1200	1500	2000	2500	sheet	roll	belt	disc					
C34P	C	kraft/CwI	R/R	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
pecking quantity		per bale	100																												
		per carton	500								1000																				

Sheet standard size 230mm×280mm

Other special size or form can be ordered



Add : No.8, New&High Industrial Zone, North Road, Zibo,
Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code :255086
Http : //www.rikenmt.com

地址 : 中国·山东·淄博高新区开发区北路8号
电话 : 0086-533-3587295
传真 : 0086-533-3583955
邮编 : 255086
网址 : Http : //www.rikenmt.com

RM SHARP BEAUTY ABRASIVE PAPER - CP36

CP36

Technical Data

Available grits:

P60, P80, P100, P120, P150, P180, P240, P320, P400, P600, P800, P1000, P1200, P1500, P2000

- **Grain** Silicon Carbide
- **Backing** Latex Paper
- **Coating** Close Coat
- **Bond** Resin / Resin

Product Information

● Feature:

- Perfect sanding performance
- Higher sanding efficiency
- Super flexibility

● Advantage:

- Super waterproof ability, keep uncurl in the water
- Sharper than common product, higher sanding efficiency
- Longer life, double life than similar product
- Choose flexible based paper, better to avoid paper broken
- Same scratch with similar product in the market

Field Application



- Suitable for different kinds of wet sanding in automotive, electronic and other special material.



Grit Suggestion

Sanding putty

P60 → P80 → P100 → P120 → P150
P180 → P220 → P240 → P280 → P320



Sanding before primer

P400 → P600 → P800



Sanding Primer

P800 → P1000



RIKEN
砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo,
Shandong, China
Tel : 0086-533-7868078 Fax : 0086-533-7868079
Email: rm3@rikenmt.com
Post Code: 255086

地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868079
邮编: 255086
邮箱: rm3@rikenmt.com
网址: Http://www.rikenmt.com



C34PM/C45PM



淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.



Dry abrasive paper

C34PM/C45PM 超涂层干磨砂纸

Application:

Super coated prevents clogging and static. It is widely used in furniture, musical instrument, floor and lacquer. Mechanical Sanding for wide belt, narrow belt, disc installed on the hand pressure sand machine, wide belt machine and drum pneumatic sander.

用途:

超涂层能有效的防堵塞和防静电, 适用于家具、乐器和地板行业白身及漆面的研磨、抛光。可制成窄幅、小宽带、中宽带和圆盘砂, 安装在手压砂、气动砂光机及宽带机上使用。

Specifications:

type	grain	backing	bond	grit size												form						
				60	80	100	120	150	180	220	240	280	320	360	400	600	800	1000	sheet	roll	belt	disc
C34PM	C	paper(Cwt)	R/R				●	●	●	●	●		●		●	●	●	●		●	●	●
C45PM	C	paper(Dwt)	R/R			●	●	●	●	●	●		●		●	●				●	●	●



Add : No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code :255086
Http ://www.rikenmt.com


地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-3587295
传真: 0086-533-3583955
邮编: 255086
网址: Http://www.rikenmt.com

C35P



RMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.



Wet & Dry abrasive paper

C35P 乳胶纸耐水砂纸

Application:

Waterproof abrasive paper (latex impregnated) for wet and dry sanding. The inherent flexibility allows contour of irregular surfaces. Usually used in wet sanding of paints, primes, surfaces of the automobile industries, mechanical components and precision instrument.

用途:

可干磨和湿磨, 由于基体中含有乳胶的成分, 柔软性强, 适用于不规则面的研磨, 常用于漆面, 底漆, 汽车表面和机器配件、精密仪器的抛光和打磨。



Specifications:

type	abrasives	backing	bond	grit size																form															
				60	80	100	120	150	180	220	240	280	320	360	400	600	800	1000	1200	1500	2000	2500	sheet	roll	belt	disc									
C35P	C	latex(Cwt)	R/R	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
packing quantity		per bale		100																•															
		per carton		500								1000																							

Sheet standard size 230mm×280mm
Other special size or form can be ordered




Add : No.8, New&High Industrial Zone, North Road, Zibo,
Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code : 255086
Http : //www.rikenmt.com

地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-3587295
传真: 0086-533-3583955
邮编: 255086
网址: Http://www.rikenmt.com

CG-V

● 产品结构设计:



特殊的结构设计带来的CG-V独特的优势:

- 真正的无尘研磨，良好的切削力
- 优异的防堵塞性能，使用寿命长
- 使用时无需对孔

特殊的结构设计带来的CG-V独特的特点:

- 自带尼龙搭扣，可快速的更换砂纸，无需对孔
- 特殊的基材组织结构，使磨削面积和吸尘面积最优化，提高磨削和吸尘效率
- 新型涂层，实现宏观与微观的双重防堵效果

特殊的结构设计带来的CG-V独特的益处:


- 清洁无尘的工作环境
- 提供更高的工作效率
- 高性价比

● 粒度范围


type	grit size												form					
	60	80	100	120	150	180	220	240	280	320	360	400	500	600	sheet	roll	belt	disc
CG-V	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		●

● 对比数据分析:


■ 磨削数据分析对比:



■ 磨削数据分析对比:






● 实际打磨效果:



● 应用领域:

- 纤维板制造厂
- 汽车修理、制造行业
- 家具行业

汽修行业建议使用粒度



CG-V



RIKEN

淄博研科山涂磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO., LTD.



CG-V

Application:

Base material with Velcro, can quickly replace sand paper without adjusting the hole position, the base material of special organization structure, optimize grinding area and the dust collection area, new coating to realize double combat the effect of macro and micro, is really a dust-free abrasive products, with good sanding force, long service life.

用途:

基材自带尼龙搭扣,可快速的更换砂纸无需对孔,特殊的基材组织结构,使磨削面积和吸尘面积最优化,新型涂层实现宏观与微观的双重防堵效果,是一款真正的无尘研磨产品,具有良好的切削力,使用寿命长。

Specifications:

type	grain	backing	bond	grit size											form				
				60	80	100	120	150	180	220	240	320	400	500	sheet	roll	disc	disk	
CG-V	A	Velcro	VR	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

RIKEN
砂纸·砂布

Add: No.8, North Road, New&High Industrial Zone, Zibo,
Shandong, China
Tel: 0086-533-7868078 Fax: 0086-533-7868078
Post Code: 255086
Email: rm3@rikenmt.com
Http: www.rikenmt.com

地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868078
邮编: 255086
邮箱: rm3@rikenmt.com
网址: Http://www.rikenmt.com

RM SHARP BEAUTY ABRASIVE PAPER - CP36

CP36



Suitable for wet and dry sanding, good flexibility, keep uncurl in the water, used for curve surface sanding. Mainly used for paint, automotive, electronic, special material and so on.



High
Efficient

Longer
Life

Aggressive
Performance

RIKEN
砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo,
Shandong, China
Tel : 0086-533-7868078 Fax : 0086-533-7868079
Email: rm3@rikenmt.com
Post Code : 255086

地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-7868078
传真: 0086-533-7868079
邮编: 255086
邮箱: rm3@rikenmt.com
网址: Http://www.rikenmt.com





RMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.

CP38

Application:

For wet and dry sanding, usually used in polishing and sanding paints, precision instrument, metal, composite materials, automobile production and repair, electron.

用途:

可干湿两用, 特别适用于涂装面、精密仪器、金属、复合材料、汽车制造和修理、电子器件的精密抛光和研磨。



specifications:

type	abrasives	backing	bond	grit size														form			
				240	280	320	360	400	600	800	1000	1200	1500	2000	2500	3000	4000	5000	sheet	roll	belt
CP38	C	latex(CW)	R/R	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
packing quantity			per bale	100							50										
			per carton	1000							500										

Sheet standard size 230mm×280mm
Other special size or form can be ordered



Add : No.8, New&High Industrial Zone, North Road, Zibo, Shandong, China
Tel : 0086-533-3587295 Fax : 0086-533-3583955
Post Code :255086
Http : //www.rikenmt.com

地址: 中国·山东·淄博高新区开发区北路8号
电话: 0086-533-3587295
传真: 0086-533-3583955
邮编: 255086
网址: Http://www.rikenmt.com

YWP43



淄博研索山涂磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO., LTD.



YWP43

Application:

Dwt back paper has higher anti-torn ability and smooth surface advantage, special treated grain with higher sanding efficiency, the product is anti-clogged and has good sanding surface. This product can be used for dry sanding by hand, could be widely used in the field of wood, paint, plastic, wall surface and so on, it is an yellow color sandpaper.

用途:

产品采用DWT纸基, 抗撕裂度高、平滑度高, 并采用特殊处理的磨料, 磨削效率高, 防堵塞性能好, 磨削效果好。产品可用于干式手工打磨, 可应用于木器、漆面、塑料、墙面等领域。是一款黄色砂面的彩色砂纸。

Specifications:

type	grain	backing	bond	grit size				form			
				40	60	80	120	sheet	roll	belt	disc
YWP43	WA	Dwt	R/R	●	●	●	●	●	●		●



RIKEN

砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China

Tel : 0086-533-7868078 Fax : 0086-533-7868079

Post Code : 255086

Email: rm3@rikenmt.com

Http: //www.rikenmt.com

地址: 中国·山东·淄博高新区开发区北路8号

电话: 0086-533-7868078

传真: 0086-533-7868079

邮编: 255086

邮箱: rm3@rikenmt.com

网址: Http://www.rikenmt.com

GWP53



RMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.



GWP53

Application:


Ewt base paper has higher anti-torn ability and smooth surface advantage, use special treated grain to keep the higher sanding efficiency, the product is anti-clogged and has good sanding surface. This product can be used for dry sanding by hand, could be widely used in the field of wood, paint, plastic, wall surface and so on, it is a green color sandpaper.

用途:

产品采用EWT纸基,抗撕裂度高、平滑度高,并采用特殊处理的磨料,磨削效率高,防堵塞性能好,磨削效果好。产品可用于干式手工打磨,可应用于木器、漆面、塑料、墙面等领域。是一款绿色砂面的彩色砂纸。

Specifications:

type	grain	backing	bond	grit size				form			
				40	60	80	120	sheet	roll	belt	disc
GWP53	WA	Ewt.	R/R	●	●	●	●	●	●		●



RIKEN

砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China

Tel : 0086-533-7868078 Fax : 0086-533-7868079

Post Code : 255086

Email: rm3@rikenmt.com

Http: //www.rikenmt.com

地址:中国·山东·淄博高新区开发区北路8号

电话:0086-533-7868078

传真:0086-533-7868079

邮编:255086

邮箱:rm3@rikenmt.com

网址:Http://www.rikenmt.com

WP53



RMC

淄博理研泰山涂附磨具有限公司
ZIBO RIKEN MT COATED ABRASIVES CO.,LTD.

Ewt abrasive paper roll

Ewt 砂纸卷 砂纸带

Application:

It Adopt wear resistant super smooth E paper and special treated Aluminum Oxide abrasives. It is flexible, fast cutting, excellent finishing and high tear resistance. It is mainly used in dry sanding leather, skins, soft plastic and so on. Operate with mechanical sanding on machine for wide belt, long belt as well as for edge sanding machine and drum sanding machine.

用途:

采用Ewt抗撕裂、高平滑度纸基和特殊处理的磨料，磨削效率高，可达到完美的打磨效果。产品主要用于干式打磨皮革、毛皮以及软塑料制品。此产品须搭配滚筒式和皮带式磨革机进行打磨。

Specifications:

type	abrasives	backing	bond	grit size											form			
				180	220	240	280	320	360	400	500	600	800	1000	1200	sheet	roll	belt
WP53	WA	paper (Ewt)	R/R	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

RIKEN

砂纸·砂布

Add : No.8, New&High Industrial Zone, North Road, Zibo, Shandong, China

Tel : 0086-533-3587295 Fax : 0086-533-3583955

Post Code :255086

Http : //www.rikenmt.com

地址: 中国·山东·淄博高新区开发区北路8号

电话: 0086-533-3587295

传真: 0086-533-3583955

邮编: 255086

网址: Http://www.rikenmt.com