

# RM SHARP BEAUTY ABRASIVE PAPER - AP50M

## AP50M

### Technical Data

Available grits:

P80, P120, P180, P240, P320, P400, P500, P600

- **Grain**      Aluminium Oxide
- **Backing**    Letax Paper
- **Coating**    Open Coat
- **Bond**       Resin / Resin

### Product Information


#### ● Feature:

- Perfect sanding performance
- High sanding efficiency
- Super Anti-clogging

#### ● Advantage:

- Coarse grits are very sharp
- Less clogging thanks to stearate coating, Homogeneous sanding finish
- Special planting technology could effectively prevent dust clogging
- Can work together with kinds of sanding machine, for putty and primer sanding
- High cost performance.

### Field Application



### Grit Suggestion

Remove paint from damaged area

P80 → P120



Sanding the edge of damaged area

P120 → P180



Grinding putty

P80 → P120 → P180 → P240



Sanding before primer

P240 → P320 → P400



Primer sanding

P400 → P500 → P600



**RIKEN**  
砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China  
Tel : 0086-533-7868078 Fax : 0086-533-7868079  
Email: rm3@rikenmt.com  
Post Code :255086

地址: 中国 山东 淄博高新区开发区北路8号  
电话: 0086-533-7868078  
传真: 0086-533-7868079  
邮编: 255086  
邮箱: rm3@rikenmt.com  
网址: Http://www.rikenmt.com




# RM SHARP BEAUTY ABRASIVE PAPER - AP50M

## AP50M



AP50M is a product with special backing paper and grain, provides a fast cut, long life and professional results, can be widely used in sanding automobile, electron, special material and so on.



Faster  
Sanding

Aggressive  
Performance

High  
Efficient

**RIKEN**  
砂纸·砂布

Add: No 8, North Road, New&High Industrial Zone, Zibo,  
Shandong, China  
Tel: 0086-533-7868078 Fax: 0086-533-7868079  
Email: rm3@rikenmt.com  
Post Code: 255086

地址: 中国 山东 淄博高新区开发区北路8号  
电话: 0086-533-7868078  
传真: 0086-533-7868079  
邮编: 255086  
邮箱: rm3@rikenmt.com  
网址: <http://www.rikenmt.com>



# RM SHARP BEAUTY ABRASIVE PAPER - CP36

## CP36

### Technical Data

#### Available grits:

P60, P80, P100, P120, P150, P180, P240, P320, P400,  
P600, P800, P1000, P1200

- **Grain** Silicon Carbide
- **Backing** Latex Paper
- **Coating** Collee Coat
- **Bond** Resin / Resin



### Product Information

#### ● Feature:

- Perfect sanding performance
- Higher sanding efficiency
- Super flexibility

#### ● Advantage:

- Super waterproof ability, not curl under the water
- Sharper than common product, higher sanding efficiency
- Longer life, double life than similar product
- Choose flexible based paper, better to avoid paper broken
- Same scratch with similar product in the market

### Field Application



- Suitable for different kinds of wet sanding in automotive, electronic and other special material.

### Grit Suggestion

#### Sanding putty

P60 P80 P100 P120 P150  
P180 P220 P240 P280 P320



#### Sanding before primer

P400 P600 P800



#### Sanding Primer

P800 P1000



**RIKEN**  
砂纸·砂布

Add: No.8, North Road, New&High Industrial Zone, Zibo,  
Shandong, China  
Tel: 0086-533-7868078 Fax: 0086-533-7868079  
Email: rm3@rikenmt.com  
Post Code: 255086

地址: 中国 山东 淄博高新区开发区北路8号  
电话: 0086-533-7868078  
传真: 0086-533-7868079  
邮编: 255086  
邮箱: rm3@rikenmt.com  
网址: Http://www.rikenmt.com



# RM SHARP BEAUTY ABRASIVE PAPER - CP36



## CP36



Suitable for wet and dry sanding, good flexibility, keep uncurl in the water, used for curve surface sanding. Mainly used for paint, automotive, electronic, special material and so on.



High  
Efficient

Longer  
Life

Aggressive  
Performance

**RIKEN**  
砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo,  
Shandong, China  
Tel : 0086-533-7868078 Fax : 0086-533-7868079  
Email: rm3@rikenmt.com  
Post Code :255086

地址: 中国 山东 淄博高新区开发区北路8号  
电话: 0086-533-7868078  
传真: 0086-533-7868079  
邮编: 255086  
邮箱: rm3@rikenmt.com  
网址: Http://www.rikenmt.com



# RM DUST FREE ABRASIVE CLOTH - CG-V



## CG-V

### Technical Data

#### Available grits:

P60, P80, P100, P120, P150, P180, P220, P240, P320, P400, P600

- **Grain** Aluminum Oxide
- **Backing** Mesh Cloth
- **Coating** Open Coat
- **Bond** Resin / Resin



### Product Information

#### ● Feature:

- Perfect sanding performance
- High sanding
- Super Anti-clogging

#### ● Advantage:

- Mesh backing
- Perfect dust free performance
- Anti-clogging
- High sanding power and long life
- High cost performance



### Grit Suggestion

Remove paint from damaged area

P80 → P120



Sanding the edge of damaged area

P120 → P180



Grinding putty

P80 → P120 → P180 → P240



Sanding before primer

P240 → P320 → P400



Primer sanding

P400 → P500 → P600



**RIKEN**  
砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo,  
Shandong, China  
Tel : 0086-533-7868078 Fax : 0086-533-7868079  
Email: rm3@rikenmt.com  
Post Code :255086

地址: 中国 山东 淄博高新区开发区北路8号  
电话: 0086-533-7868078  
传真: 0086-533-7868079  
邮编: 255086  
邮箱: rm3@rikenmt.com  
网址: Http://www.rikenmt.com



# RM DUST FREE ABRASIVE CLOTH - CG-V



## CG-V



CG-V supply high performance and long sanding life. Dust free sanding keep environment clean. It is designed for sanding putty, primers, lacquers, paint, composite material, wood and so on. It's a high cost performance products.



Aggressive  
Performance

Better

Faster  
Sanding

**RIKEN**  
砂纸·砂布

Add: No 8, North Road, New&High Industrial Zone, Zibo,  
Shandong, China  
Tel: 0086-533-7868078 Fax: 0086-533-7868079  
Email: rm3@rikenmt.com  
Post Code: 255086

地址: 中国 山东 淄博高新区开发区北路8号  
电话: 0086-533-7868078  
传真: 0086-533-7868079  
邮编: 255086  
邮箱: rm3@rikenmt.com  
网址: <http://www.rikenmt.com>



# RM SHARP BEAUTY ABRASIVE PAPER - CP38

## CP38

### Technical Data

Available grits:  
P1500, P2000

- **Grain** Silicon Carbide
- **Backing** Latex Paper
- **Coating** Close Coat
- **Bond** Resin / Resin

### Product Information

#### ● Feature:

- Long life
- Super flexible
- Perfect sanding performance

#### ● Advantage:

- Very flexible, suitable for wet hand sanding.
- Good waterproof, it keeps uncurl in water.
- Special treated backing provides long life.
- Provide very smooth even polishing surface before waxing.
- Perfect sanding performance

### Field Application



- Usually used in defective paint surface, pretreatment before mirror polishing and other related polishing.



### Steps

1 Sanding defective paint surface



2 Polishing with polishing wax



Perfect



### Suggestion for polishing

- Match with sponge abrasives for better surface performance.

**RIKEN**  
砂纸·砂布

Add: No.8, North Road, New&High Industrial Zone, Zibo,  
Shandong, China  
Tel: 0086-533-7868078 Fax: 0086-533-7868079  
Email: rm3@rikenmt.com  
Post Code: 255086

地址: 中国 山东 淄博高新区开发区北路8号  
电话: 0086-533-7868078  
传真: 0086-533-7868079  
邮编: 255086  
邮箱: rm3@rikenmt.com  
网址: Http://www.rikenmt.com



# RM SHARP BEAUTY ABRASIVE PAPER - CP38



## CP38



CP38 has special paper backing. It keeps uncurl in the water. Usually used in precise surface sanding before polishing.



**RIKEN**  
砂纸·砂布

Add: No.8, North Road, New&High Industrial Zone, Zibo,  
Shandong, China  
Tel: 0086-533-7868078 Fax: 0086-533-7868079  
Email: rm3@rikenmt.com  
Post Code: 255086

地址: 中国·山东·淄博高新区开发区北路8号  
电话: 0086-533-7868078  
传真: 0086-533-7868079  
邮编: 255086  
邮箱: rm3@rikenmt.com  
网址: Http://www.rikenmt.com





# RM ABRASIVE FILM - AF37M



## AF37M

### Technical Data

#### Available grits:

P60, P80, P100, P120, P180, P240, P320, P400, P500, P600, P800, P1000, P1200, P1500, P2000

- **Grain**      Aluminium Oxide
- **Backing**    PET
- **Coating**    Open Coat
- **Bond**        Resin / Resin

### Product Information

#### ● Feature:

- Perfect sanding performance
- High sanding efficiency
- Super Anti-clogging

#### ● Advantage:

- Polyester film, Wear-resistant and durable, long life
- Even surface provides an outstanding finish. For dry and wet sanding
- Special struwing technology could effectively prevent clogging
- Suitable for different curved surface and paint sanding.



### Grit Suggestion

Remove paint from damaged area

P80 → P120



Sanding the edge of damaged area

P120 → P180



Sanding putty

P80 → P120 → P180 → P240



Sanding before primer

P240 → P320 → P400



Primer sanding

P400 → P500 → P600



**RIKEN**  
砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China  
Tel : 0086-533-7868078 Fax : 0086-533-7868079  
Email: rm3@rikenmt.com  
Post Code :255086

地址: 中国 山东 淄博高新区开发区北路8号  
电话: 0086-533-7868078  
传真: 0086-533-7868079  
邮编: 255086  
邮箱: rm3@rikenmt.com  
网址: Http://www.rikenmt.com




# RM ABRASIVE FILM - AF37M

## AF37M



AF37M is a special product suitable for fast sanding. the special treated polyester film backing and grain is much more strong and flat.Used as Velcro and PSA DISC, suitable for different curved surface and paint sanding.



Faster  
Sanding

Aggressive  
Performance

High  
Efficient

**RIKEN**  
砂纸·砂布

Add: No.8, North Road, New&High Industrial Zone, Zibo,  
Shandong, China  
Tel: 0086-533-7868078 Fax: 0086-533-7868079  
Email: rm3@rikenmt.com  
Post Code: 255086

地址: 中国 山东 淄博高新区开发区北路8号  
电话: 0086-533-7868078  
传真: 0086-533-7868079  
邮编: 255086  
邮箱: rm3@rikenmt.com  
网址: <http://www.rikenmt.com>



**CURVE SURFACE PRECISE POLISHING PRODUCTS**

**Sponge abrasives**

**Technical Data**

Available grits:  
P1500, P2000, P2500, P3000

- **Grain** White Aluminum Oxide
- **Backing** Velcro (thin), Sponge(thick)
- **Bond** Resin/Resin

**Product Information**

● **Feature:**

- Suitable for pretreatment of primer, lacquer and polishing.
- Flexible construction allows it to create a smooth sanding pattern on edges and angled surfaces.
- For wet and dry sanding



**PSA abrasive disc rolls**

**Technical Data**


Available grits:  
P1500, P2000, P3000

- **Grain** Silicon Carbide
- **Backing** Latex Paper
- **Size** 32mm

**Product Information**

● **Feature:**

- Well suited for spot polishing by hand or mini senders
- For wet and dry sanding
- High cost performance



Add: No.8, North Road, New&High Industrial Zone, Zibo,  
Shandong, China  
Tel: 0086-533-7868078 Fax: 0086-533-7868079  
Email: rm3@rikenmt.com  
Post Code :255086

地址: 中国·山东·淄博高新区开发区北路8号  
电话: 0086-533-7868078  
传真: 0086-533-7868079  
邮编: 255086  
邮箱: rm3@rikenmt.com  
网址: [Http://www.rikenmt.com](http://www.rikenmt.com)



## CURVE SURFACE PRECISE POLISHING PRODUCTS

### Non-Woven Pad

#### Technical Data

Available grits:

P400, P800, P1200, P1500, P2000

- **SIZE** 100\*200mm
- **Grain** Aluminum Oxide /Silicon Carbide
- **Color** Red/Grey
- **Bond** Resin /Resin
- **Backing** Non-woven

#### Product Information

#### ● Feature:

- The Special structure creates an excellent base for the next lacquer layer
- Suitable for curve surfaces and award area sanding
- For wet and dry sanding



### Abrasive Paper with Foam

#### Technical Data

Available grits:

P400, P600, P800

- **Grain** Aluminum Oxide
- **Backing** Abrasive Paper with Foam
- **Size** 115\*125mm

#### Product Information

#### ● Feature:

- Soft and flexible, the foam base is grip friendly and applies pressure evenly.
- Developed for sanding irregular surface, angled surface and edges
- Use for wet and dry modes



**RIKEN**  
砂纸·砂布

Add : No.8, North Road, New&High Industrial Zone, Zibo, Shandong, China  
Tel : 0086-533-7868078 Fax : 0086-533-7868079  
Email: rm3@rikenmt.com  
Post Code :255086

地址: 中国·山东·淄博高新区开发区北路8号  
电话: 0086-533-7868078  
传真: 0086-533-7868079  
邮编: 255086  
邮箱: rm3@rikenmt.com  
网址: [Http://www.rikenmt.com](http://www.rikenmt.com)

